

BX-32 External Siren Strobe

High Quality Bell Box
with Effective Visual and Audible Alerts



- Siren output level is 104dB at 1 meter
- Elegant, modern design
- Wireless, lightweight, easy to install

BX-32 is a battery-operated outdoor siren that is designed to be fitted in the front of the property in a highly visible position, providing a permanent visual deterrent to intruders. It features both visible and audible alerts for possible intruders, emergencies and safety incidents.

As a multi-functional outdoor bell box, BX-32 can generate unique alarm sounds for fire and burglary to inform users of the type of danger, and work with the control panel to emit entry, exit delay, and low battery beeps. It is easy to install and energy efficient.

BX-32's tamper-deterrent feature protects against unauthorized removal and sabotage. Encased in an elegant, weather resistant IPX5 waterproof design, BX-32 is a premium choice for the modern smart home.

Features

- Siren output level is 104dB at 1 meter
- Unique alarm sounds for fire and burglary
- Four Selectable Siren Volume Levels
- Programmable siren duration of 3/5/10 minutes
- Beep notifications of arming/disarming, door chime, and low battery status
- Low battery detection
- IPX5 waterproof and UV resistant housing
- Lightweight and flexible to install
- Smaller, visually pleasing design
- Cover tamper protection prevents unauthorized removal and sabotage
- Regular supervision signals to check system integrity
- Compatible with Vesta's F1 gateways / control panels
- Compliant with CE requirement
- EN50131 Grade2, Class IV certified

Specifications

BX-32-F1

Frequency	868 MHz / 433 MHz
Power Source	3V, D Alkaline batteries x 2
Battery Life	3 years*
Siren Output	104dB at 1 meter
Operating Temperature	-25°C to 60°C (-13°F to 140°F)
Operating Humidity	Up to 85% non-condensing
Dimensions	180mm x 57.7mm x 213.6mm

* Note: Actual battery life may vary with product settings, operating environment and usage.



Consolidated
**SECURITY
MERCHANTS**



1300 663 904