



TD1500 & TD3000 TELESCOPING AND FIXED CAMERA POLES

The TD Series adjustable camera poles come complete with a dome cover and ceiling mount bracket for indoor installations.

For cameras, monitors, wireless access points and smoke alarms. The TD series telescoping poles feature 2 sections at either 1500mm or 3000mm lengths that adjust between 1500 - 2900mm and 3000 - 5900mm respectively. The central joiner on the poles uses cap head screws from both sides for a sleek appearance.

Both the 1500mm and 3000mm poles are available in satin white or satin black powder coated finishes.

TELESCOPING AND FIXED LENGTH CEILING MOUNT HARDWARE



ALUMINIUM CONSTRUCTION

Our second generation aluminum droppers are far easier to cut and drill. Another bonus, being two thirds lighter than steel tubes makes carrying and installation a breeze.



SUITS MOST DOME CAMERAS

Our standard range of mounting kits provide mounting options for a wide range of cameras from 110 to 160mm diameter +. Also suits LCD Screens with 75 and 100mm VESA mounting patterns up to 14KG in weight.


TDCTXXXX cable path

Entry and exit from dropper clear of through bolts. Custom lengths available for next day dispatch.



Our second generation aluminum droppers are far easier to cut and drill. Another bonus, being two thirds lighter than steel tubes makes carrying and installation a breeze.

TELESCOPING CAMERA POLES



MOUNTING KIT DIMENSIONS



TELESCOPING CAMERA POLE PART LIST

Part Number	Description
TD1500	1500-2900mm adjustable telescopic dropper pole kit including: inner and outer poles ceiling mount bracket and connecting bolts.
TD3000	3000-5900mm adjustable telescopic dropper pole kit including: inner and outer poles ceiling mount bracket and connecting bolts.
TD1500X32	1500mm long x 32mm diameter outer pole (Pole only)
TD1500X28	1500mm long x 28mm diameter inner pole (Pole only)
TD3000X32	3000mm long x 32mm diameter outer pole (Pole only)
TD3000X28	3000mm long x 28mm diameter inner pole (Pole only)
TDCTXXXX	TD cable through fixed length pole (with 30mm diameter cable entry and exit at top and bottom) Advise length required between ceiling and mount height for devices when ordering.
TDUNI1	Mounting kit for cameras and smoke detectors up to 130mm Dia. Kit includes 1 X TDLP1 mount plate, 1 X TDDC1L, 1 X TDDC1U decorative covers plus bolt and nut sets.
TDUNI2	Mounting kit for cameras and smoke detectors up to 167mm Dia. Kit includes 1 X TDLP2 mount plate, 1 X TDDC1L, 1 X TDDC1U decorative covers plus bolt and nut sets.
TDUNI3	Mounting kit for cameras and smoke detectors up to 167mm Dia. Kit includes 1 X TDLP2 mount plate, 1 X TDDC2L, 1 X TDDC1U decorative covers plus bolt and nut sets.
TDVESA100	Pan and tilt Vesa mount bracket suit screens with 75 and 100mm mounting pattern. Suit up to 32 inch screens.
TDCISCO1	Mount kit for Cisco 3700 series wireless access point.
TDLP1	Type 1 mounting plate (can be fitted to 28 and 32mm tube)
TDLP2	Type 2 mounting plate (can be fitted to 28 and 32mm tube)
TDLP3	Type 3 mounting plate (can be fitted to 28 and 32mm tube)
TDRP1	Ceiling mount plate, suit 32 & 28mm diameter poles.
TDDC1L	Type 1 decorative cover suit lower mounting plates, no screws
TDDC1U	Type 1 decorative cover suit upper mounting plates, with screws
TDDC2L	Type 2 large decorative cover suit lower mount plates.
TD45BOLT	M8 x 45mm bolt and nyloc nut
TDCAPSC	M6 Cap screw kit suit connection between inner and outer pole.
TDCOUP	28mm diameter coupling tube and cap nuts suit joining 32mm diameter poles.

Note: Specify "W" for white & "B" for black powder coat finish (ie: TD1500B for single black dropper)